

Media Screens - for Interior Walls



Plug and Play

Plug and Play is the most straightforward way to upload content to the screen.

Simply load images and videos onto a USB stick and insert into the display

Once loaded, your images and videos will play in a continuous loop

Top Tip 1 - **Gain 2x USB sticks, populate 1 and insert into the screen**

Top Tip 2 - **Populate the other at your desk - then, simply swap out**



Budget Friendly - Wall Screens

Commercial display solution for Interior Walls

Elevate your visual communications with Wall Screens

The 500cd/m High Brightness Display is powerful business tool

Thus taking your communication efforts to the next level

This ELAD VA Display consumes less energy compared to DLED IPS

Perfect for retail, corporate environment, educational, hospitality



Android OS

Thanks to Android OS, you can easily customise the display

to your needs by installing applications directly to it

iisignage

iisignage is our digital signature content management platform

to easily show and control our content and to manager your display

in a secure way - The Content Management System (SMS) gives you

total control of your messaging and advertising remotely and safely



Signal Failover

Failover is a feature which automatically detects input sources

When there is no signal on the default input it will automatically

switch to the next available input - Failover allows clients to prioritise a number of inputs...

Browser, Media Player and Custom - ensuring content is always activity displayed

Ultra Slim

With 50 percent depth saving over similar models, the jaw-dropping and best @D40mm



43" = Media Screens - for Interior Walls

Display Characteristics

Native Resolution:	3840 x 2160 @60Hz (8.3 Megapixels 4K UHD)
Aspect Ratio:	Ratio 16:9
Viewable Area WxH	941.2 X 529.4mm, 37.1 x 20.8"
Bezel:	Black Matte 9mm, 9mm, 9mm

Interfaces / Connectors / Controls

Digital Signal Input:	HDMI x3 (v.2.0, max, 3840x2160 @60Hz)
Monitor Control Input:	RS-232c x1
Audio Output:	Mini Jack x 1 (3.5mm)
HDCP:	v.1.4 & 2.2
USB Ports	x2 (v.2.0)
WIFI:	Yes (built-in, 802, 11ac)
Wall Bracket VESA:	VESA (400x300mm)
User Controls:	Vast range - Picture Brightness, Sharpness, Black Level, Tint, Colour Screen Zoom, Speaker Setting, Audio Reset, Android setting.... (network & Internet, Apps, Notifications, Date & Time)
Power Management:	AC 100 - 240V, 50/60Hz
Power Usage:	45W typical, 0.5W stand by, 0.3W off mode
Weight:	9.1KG

VESA (400x300mm)



Designed to support Digital Signage between 26" to 55"
Maximum Weight Support = 50kg

Fitting:

Ensure wall location is free of electric and piping
Hold bracket to the wall and ensure 100% level, pencil mark the 4x holes
Now, drill 4x holes, add raw plugs and screws, now secure bracket to the wall
Now, attach the Media Screen - finally feed power cable to a nearby socket



50" = Media Screens - for Interior Walls

Display Characteristics

Native Resolution:	3840 x 2160 @60Hz (8.3 Megapixels 4K UHD)
Aspect Ratio:	Ratio 16:9
Viewable Area WxH	1095.8 x 616mm, 43.1 x 24.3"
Bezel:	Black Matte 10.6mm, 10.6mm, 15.5mm

Interfaces / Connectors / Controls

Digital Signal Input:	HDMI x3 (v.2.0, max, 3840x2160 @60Hz
Monitor Control Input:	RS-232c x1
Audio Output:	Mini Jack x 1 (3.5mm) + Speakers 2 x 10W
HDCP:	v.1.4 & 2.2
USB Ports	x2 (v.2.0)
WIFI:	Yes (built-in, 802, 11ac)
Wall Bracket VESA:	VESA (400x300mm)
User Controls:	Vast range - Picture Brightness, Sharpness, Black Level, Tint, Colour Screen Zoom, Speaker Setting, Audio Reset, Android setting.... (network & Internet, Apps, Notifications, Date & Time
Power Management:	AC 100 - 240V, 50/60Hz
Power Usage:	45W typical, 0.5W stand by, 0.3W off mode
Weight:	12.6KG

VESA (400x300mm)



Designed to support Digital Signage between 26" to 55"
Maximum Weight Support = 50kg

Fitting:

Ensure wall location is free of electric and piping
Hold bracket to the wall and ensure 100% level, pencil mark the 4x holes
Now, drill 4x holes, add raw plugs and screws, now secure bracket to the wall
Now, attach the Media Screen - finally feed power cable to a nearby socket

WALL Media Screens - 43" + 50" + 55"



55" = Media Screens - for Interior Walls

Display Characteristics

Native Resolution:	3840 x 2160 @60Hz (8.3 Megapixels 4K UHD)
Aspect Ratio:	Ratio 16:9
Viewable Area WxH	1209.6 x 680.4mm, 47.6" x 28.8"
Bezel:	Black Matte 13.3mm, 13.3mm, 15.3mm

Interfaces / Connectors / Controls

Digital Signal Input:	HDMI x3 (v.2.0, max, 3840x2160 @60Hz
Monitor Control Input:	RS-232c x1 + RJ45 (LAN) x1
Audio Output:	Mini Jack x 1 (3.5mm) + Speakers 2 x 10W
HDCP:	v.1.4 & 2.2
USB Ports	x2 (v.2.0)
WIFI:	Yes (built-in, 802, 11ac)
Wall Bracket VESA:	VESA (400x300mm)
User Controls:	Vast range - Picture Brightness, Sharpness, Black Level, Tint, Colour Screen Zoom, Speaker Setting, Audio Reset, Android setting.... (network & Internet, Apps, Notifications, Date & Time
Power Management:	AC 100 - 240V, 50/60Hz
Power Usage:	45W typical, 0.5W stand by, 0.3W off mode
Weight:	17.6KG

VESA (400x300mm)



Designed to support Digital Signage between 26" to 55"
Maximum Weight Support = 50kg

Fitting:

Ensure wall location is free of electric and piping
Hold bracket to the wall and ensure 100% level, pencil mark the 4x holes
Now, drill 4x holes, add raw plugs and screws, now secure bracket to the wall
Now, attach the Media Screen - finally feed power cable to a nearby socket